



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/646,984	09/25/2000	Donn Nelson Rubingh	7070	3865

27752 7590 03/08/2002

THE PROCTER & GAMBLE COMPANY  
PATENT DIVISION  
IVORYDALE TECHNICAL CENTER - BOX 474  
5299 SPRING GROVE AVENUE  
CINCINNATI, OH 45217

EXAMINER

MOORE, WILLIAM W

ART UNIT	PAPER NUMBER
----------	--------------

1652

DATE MAILED: 03/08/2002

7

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office

Address: ASSISTANT COMMISSIONER FOR PATENTS

Washington, D.C. 20231

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER
----------

ART UNIT	PAPER
----------	-------

7

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**


**Commissioner of Patents and Trademarks**

This application contains sequence disclosures that are encompassed by the definitions for nucleotide and/or amino acid sequences set forth in 37 CFR §§1.821(a)(1) and (a)(2). However, this application fails to comply with the requirements of 37 CFR §§1.821-1.825 for the reason(s) set forth on the attached Notice To Comply With Requirements For Patent Applications Containing Nucleotide Sequence And/Or Amino Acid Sequence Disclosures. Because the instant application is a Continuation of application serial No. 60/079,477 and the disclosure herein is that of the parent application, Applicants may request, pursuant to 37 CFR §1.821(e), that a computer readable form of the sequence listing filed in the parent application – if present – also be used as the computer readable form of the sequence listing for the present application. A printed copy of the sequence listing as an amendment to the specification with directions for its entry, and page-numbering, in advance of the claims must accompany the request, as well as the required Statement Pursuant to 37 CFR §1.821(f) of identity of the two forms of the sequence listing.

Applicant is given ONE MONTH, or THIRTY DAYS, whichever is longer, from the mailing date of this letter within which to comply with the sequence rules, 37 CFR §§1.821-1.825. Failure to comply with these requirements will result in ABANDONMENT of the application under 37 CFR §1.821(g). Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR §1.136. In no case may an applicant extend the period for response beyond the SIX MONTH statutory period. Direct the reply to the undersigned. Applicant is requested to return a copy of the attached Notice to Comply with the reply.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William W. Moore whose telephone number is 703.308.0583. The examiner can normally be reached between 7:00AM-5:30PM EST on Mondays and Wednesdays, between 7:00AM-1:30PM EST on Tuesdays and Thursdays, and between 8:30AM and 5:00PM EST on Fridays. The examiner's direct FAX telephone number is 703.746.3169. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ponnathapura Achutamurthy can be reached at 703.308.3804. Further fax phone numbers for the organization where this application or proceeding is assigned are 703.308.4242 for regular communications and 703.308.0294 for After Final communications. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703.308.0196.

William W. Moore  
6 March 2002

  
PONNATHAPURA ACHUTAMURTHY  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 1000